

**AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (Currently amended) A ~~drying rack in a~~ dryer comprising:  
  
    a drum for drying clothes;  
  
    a rack detachably mounted to an inside of ~~a~~the drying drum for placing a drying object thereon; and  
  
    at least one drying stick for supporting the drying object spaced a predetermined distance from the rack, wherein the drying stick is formed to be extended upward from the rack.
2. (Currently amended) The ~~drying rack~~ dryer as claimed in claim 1, wherein the rack includes;  
  
    a seat having a plurality of pass through holes for pass through of drying air; and  
  
    a securing portion for supporting the seat spaced from a predetermined distance from an inside circumferential surface of the drying drum.
3. (Currently Amended) The ~~drying rack~~ dryer as claimed in claim 1, wherein the drying stick is detachable from the rack.
4. (Canceled)

5. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 1, further comprising a seating plate at an end of the drying stick for seating the drying object thereon.

6. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 5, further comprising a branch stick having one end fixedly secured to a side of the drying stick, and the other end supporting the seating plate.

7. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 6, wherein the branch stick is formed as one body with the drying stick.

8. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 6, wherein the end of the drying stick and the end of the branch stick are at the same height.

9. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 1, wherein the drying stick has an upper end bent in a “⊏” shape.

10. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 9, wherein the bent portion of the drying stick has a flat upper surface.

11. (Currently Amended) A ~~drying-rack in a~~ dryer comprising:

a drum for drying clothes;

a seat having a plurality of pass through holes for pass through of drying air;

a securing portion for supporting the seat spaced from a predetermined distance from an inside circumferential surface of the drying drum; and

a drying stick at the seat for drying the drying object in a space spaced a distance from the seat, wherein the drying stick is detachably mounted to be projected upward from the seat.

12. (Canceled)

13 (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 11, further comprising a branch stick at one side of the drying stick, the branch stick being branched in a direction different from the drying stick.

14. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 13, wherein both the drying stick and the branch stick have ends at the same height.

15. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 11, further comprising a seating plate at the end of the drying stick for seating the drying object.

16. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 11, wherein the drying stick has an upper end bent in a “ $\neg$ ” shape.

17. (Currently amended) The ~~drying-rack~~ dryer as claimed in claim 16, wherein the bent portion of the drying stick has a flat upper surface.